

Dark Heater D2 & D3



D2 - Dark Heater



- 2.000 W
- Dr. Fischer Solastar-A heating tube (No Glare)
- Remaining light: 1 lux/kW/qm
- Installation height: min. 1,8 m max. 2,5 m
- Integrated 3-step dimmer (ARC / BT) and LED indication
- Switch on the back side (on / off and dimming)
- Fix connection cable 1,8 m, IP44
- White, titanium, nano-anthracite

Solamagic D2-2000-ARC, Dark Heater with 2000 W, integrated 3 step dimmer, control via Solamagic 4-chandel handheld controller

Solamagic D2-2000-BT, Dark Heater with 2000 W, integrated 3 step dimmer, and Bluetooth 4.1 control via Smartphone or Tablet

D3 - Dark Heater



- Modular concept
- 2.000 W
- Dr. Fischer Solastar-A heating tube (No Glare)
- Remaining light: 1 lux/kW/qm
- Installation height: min. 1,8 m max. 2,5 m
- Hirschmann plug with 0,5 m / 2,5 m Hirschmann / Schuko connection cable, IP44
- White, titanium, nano-anthracite

Solamagic D3-2000, Dark Heater with 2000 W

Options:

Solamagic ARC-Dim Module

(Control via Solamagic handheld transmitter)


Solamagic BT Dim Module

(Control via smartphone / tablet)

Solamagic Dim Module with 0-10 V device

(Integration in house automation)

Application areas



Winder garden

SOLAMAGIC®



Winder garden

SOLAMAGIC®



Glassed balconies

SOLAMAGIC®



Wellness

SOLAMAGIC®



Wellness

SOLAMAGIC®



Lounge areas



Working areas



Wind-protected outdoor areas



Solamagic Dark Heater - Arguments



- **non glare** – no glare due to new **Solastar-A** heating tube with minimum 5.000 working hours
- **Remaining light: 1 lux/kW/qm** (S1 50 lux/kW/qm // S2 45 lux/kW/qm)
- **TÜV Certification; IP44**
- Up to **63% more power output** due to Solastar-A heating tube in combination with optimized asymmetrical reflector **with protective right** compared to competitor heaters
- **No glass front cover** for dimming the remaining light **necessary**
- **<10 seconds** heat up time
- **Control** via Solamagic **handheld transmitter**, or **Bluetooth 4.1** with smartphone / tablet
(**integrated** dimmer in **D2**, modular **expandable** dimmer with the **D3**)
- Easy installation with **Schuko-Plug** connection cable
- Installation on the **wall** or under the **ceiling** with quick mounting brackets, or integrated with **in-ceiling frame**
- Available in **three standard colors** white, titanium and nano-anthracite, special colors on request
- Application areas: winder garden, glass houses, glassed balconies, wind protected outdoor areas, spa- and wellness, working areas, lounge areas....


Dark Heater – List prices



Dark heater with integrated dimmer:

D2-2000-ARC: 759,00 €

D2-2000-BT: 839,00 €



Dark heater:

D3-2000: 585,00 €

D3-2000, 2.5 m cable: 593,00 €



Optional

D3-Dimm-Modul ARC: 219,00 €

D3-Dimm-Modul BT: 239,00 €